


Blower Bearing

Spherical Roller Bearing
Blower Bearing



WUXI GUANGQIANG BEARING TRADE CO.,LTD



Designation		Principal dimensions (mm)			Basic load ratings(KN)		Limiting Speed		Weight (kg)
Cylindrical Bore	Taper Bore	d	D	B	Dyn Cr	Stc Cor	Speed Ratings	Limiting Speed	
23268CA/W33	23268CAK/W33	340	620	224	5100	7800	560	800	295
22272CA/W33	22272CAK/W33	360	650	170	4300	6200	630	850	255
23272CA/W33	23272CAK/W33	360	650	232	5400	8300	530	750	335
23176CA/W33	23176CAK/W33	380	620	194	4400	7100	560	1000	230
23276CA/W33	23276CAK/W33	380	680	240	5850	9150	500	750	375
23180CA/W33	23180CAK/W33	400	650	200	4650	7650	530	950	265
23280CA/W33	23280CAK/W33	400	720	256	6550	10400	480	670	450
22380CA/W33	22380CAK/W33	400	820	243	7500	10400	430	750	650
23084CA/W33	23084CAK/W33	420	620	150	3400	6000	600	1100	155
23284CA/W33	23284CAK/W33	420	760	272	7350	11600	450	630	535
23284CA/W33	23284CAK/W33	420	760	272	7350	11600	450	630	535
23088CA/W33	23088CAK/W33	440	650	157	3650	6550	560	1000	180
23188CA/W33	23188CAK/W33	440	720	226	6000	10000	450	850	360
23288CA/W33	23288CAK/W33	440	790	280	7800	12500	430	600	590
23992CA/W33	23992CAK/W33	460	620	118	2500	5000	600	1000	105

Blower Bearing

23092CA/W33	23092CAK/W33	460	680	163	3900	6950	560	950	205
23192CA/W33	23192CAK/W33	460	760	240	6400	10800	430	800	440
23292CA/W33	23292CAK/W33	460	830	296	8500	13700	400	560	695
23996CA/W33	23996CAK/W33	480	650	128	2900	5700	560	1000	125
23096CA/W33	23096CAK/W33	480	700	165	3900	6800	530	950	215
23196CA/W33	23196CAK/W33	480	790	248	6950	12000	400	750	485
23296CA/W33	23296CAK/W33	480	870	310	9300	15000	380	530	800
239/500CA/W33	239/500CAK/W33	500	670	128	2900	6000	530	950	130
230/500CA/W33	230/500CAK/W33	500	720	167	4150	7800	500	900	225
231/500CA/W33	231/500CAK/W33	500	830	264	7650	12900	380	700	580
232/500CA/W33	232/500CAK/W33	500	920	336	10600	17300	360	500	985
232/500CA/W33	232/500CAK/W33	500	920	336	10600	17300	360	500	985
239/530CA/W33	239/530CAK/W33	530	710	136	3200	6700	500	900	155
230/530CA/W33	230/530CAK/W33	530	780	185	5100	9300	450	800	310
231/530CA/W33	231/530CAK/W33	530	870	272	8150	14000	360	670	645
232/530CA/W33	232/530CAK/W33	530	980	355	11100	20400	300	480	1200
239/560CA/W33	239/560CAK/W33	560	750	140	3450	7200	450	850	175
230/560CA/W33	230/560CAK/W33	560	820	195	5600	10200	430	750	355
231/560CA/W33	231/560CAK/W33	560	920	280	9150	16000	340	630	740
232/560CA/W33	232/560CAK/W33	560	1030	365	11500	22000	280	430	1350
239/600CA/W33	239/600CAK/W33	600	800	150	3900	8300	430	750	220
230/600CA/W33	230/600CAK/W33	600	870	200	6000	11400	400	700	405
231/600CA/W33	231/600CAK/W33	600	980	300	10200	18000	320	560	895
232/600CA/W33	232/600CAK/W33	600	1090	388	13100	25500	260	400	1600
239/630CA/W33	239/630CAK/W33	630	850	165	4650	9800	400	700	280
230/630CA/W33	230/630CAK/W33	630	920	212	6700	12500	380	670	485
231/630CA/W33	231/630CAK/W33	630	1030	315	10500	20800	260	530	1050
239/670CA/W33	239/670CAK/W33	670	900	170	5000	10800	360	670	315
230/670CA/W33	230/670CAK/W33	670	980	230	7650	14600	340	600	600
231/670CA/W33	231/670CAK/W33	670	1090	336	10900	22400	240	500	1250
232/670CA/W33	232/670CAK/W33	670	1220	438	15400	30500	220	360	2270
239/710CA/W33	239/710CAK/W33	710	950	180	5600	12000	340	600	365
249/710CA/W33	249/710CAK30/W33	710	950	243	6800	15600	300	500	495
230/710CA/W33	230/710CAK/W33	710	1030	236	8300	16300	320	560	670
231/710CA/W33	231/710CAK/W33	710	1150	345	12200	26000	240	450	1450
232/710CA/W33	232/710CAK/W33	710	1280	450	17600	34500	200	320	2610

Blower Bearing

239/750CA/W33	239/750CAK/W33	750	1000	185	6000	13200	320	560	420
249/750CA/W33	249/750CAK30/W33	750	1000	250	7650	18000	280	480	560
230/750CA/W33	230/750CAK/W33	750	1090	250	9650	18600	300	530	795
231/750CA/W33	231/750CAK/W33	750	1220	365	13800	29000	220	430	1700
239/800CA/W33	239/800CAK/W33	800	1060	195	6400	14300	300	530	470
249/800CA/W33	249/800CAK30/W33	800	1060	258	8000	19300	260	430	640
230/800CA/W33	230/800CAK/W33	800	1150	258	10000	20000	280	480	895
231/800CA/W33	231/800CAK/W33	800	1280	375	14800	31500	200	400	1920
239/850CA/W33	239/850CAK/W33	850	1120	200	5980	15600	260	480	560
249/850CA/W33	249/850CAK30/W33	850	1120	272	8170	22800	220	400	740
230/850CA/W33	230/850CAK/W33	850	1220	272	9370	21600	240	450	1050
231/850CA/W33	231/850CAK/W33	850	1360	400	16100	34500	180	360	2200
239/900CA/W33	239/900CAK/W33	900	1180	206	6440	17000	240	450	605
230/900CA/W33	230/900CAK/W33	900	1280	280	10100	23200	220	400	1200
239/950CA/W33	239/950CAK/W33	950	1250	224	7250	19600	220	430	755
249/950CA/W33	249/950CAK30/W33	950	1250	300	9200	26000	180	340	1015
230/950CA/W33	230/950CAK/W33	950	1360	300	12000	28500	200	380	1450
249/1000CA/W33	249/1000CAK30/W33	1000	1320	315	10400	29000	170	320	1200